Objective QbCheck Result

The test taker had a **QbCheck ADHD Total Symptom Score of 99**. A score above 50 represents a **high** likelihood for having ADHD-like symptoms.



Level. About 7% of the general population display a similar level of ADHD-like symptoms.

The test taker's Total Symptom Score equals a **high** ADHD Total Symptom


QbCheck ADHD Total Symptom Level

Objective Measures

The objective measures add valuable information to your interpretation and are expressed in Q-scores and percentiles. The Q-Scores allow for comparison with the performance of an age and gender adjusted norm group. The percentile expresses (in percent) the probability of a normative person to score lower than the test person.

		-3	0	+3	Q-Score	Percentile
Activity	MicroEventsX			•	2.1	98
Impulsivity	Commission Errors		(2.0	97
Inattention	Omission Errors				1.9	97
	Reaction Time		•		1.2	88
	Reaction Time Variation			+	3.7	99

Detailed QbCheck Result **Activity Graph** Attention and Impulse Control Graph Reaction Time (s) ■ Commission Error I Omission Error O Correct Response



About the Rating Scale

The QbCheck Rating Scale adds a subjective perspective to the evaluation process. The scale is developed from the 18 questions in DSM-5, describing patterns of behavior associated with ADHD. Each behavior is rated over the last 6 months and graded as "Never or Rarely", "Sometimes", "Often" or "Very Often".

Children 6-17 years, must present "Often" or "Very Often" on six items in at least one category to display a persistent pattern of ADHD-like symptoms according to the DSM-5 criteria. Test takers 18 years and older must present with five items rated "Often" or "Very Often" in at least one category, in order to display a persistent pattern of ADHD-like symptoms according to the DSM-5 criteria.

Rating Scale Results

This test taker has 7 items in the Inattentive category and 8 items in the Hyperactive/ Impulsive category that are rated as "Often" or "Very Often".

The test taker thus meets the criteria for displaying ADHD-like symptoms according to DSM-5.

Rating Scale Overview - Reporter: Unknown													
Inattention	Never or Rarely	Sometimes	Often	Very Often	Hyperactivity/Impulsivity	Never or Rarely	Sometimes	Often	Very Often				
Has difficulty paying attention to details or makes careless mistakes unless interested	0	0	\circ		Fidgets or squirms	0	0		0				
Has difficulty remaining focused on tasks or play activities unless interested	\circ	0		\circ	Leaves seat when remaining seated is expected	\circ	0	\circ					
Does not seem to listen when spoken to directly	\circ	\circ		0	Runs about or climbs when inappropriate or appears restless	\circ	\circ	\circ					
Has difficulty to follow through on tasks	\circ	\circ	\circ		Has difficulty to engage in play or leisure activities quietly	\circ	\circ		\circ				
Has difficulty organizing and managing tasks	0		\circ	0	Seems uncomfortable being still for extended time periods	0		0	\circ				
Avoids sustained mental effort unless interested	\circ		\circ	\circ	Talks excessively	\circ	0		0				
Loses things	0	0		\circ	Blurts out answers or thoughts	0	0		0				
Seems easily distracted by the environment	\circ	\circ	\circ		Has difficulty waiting turn	\circ	\circ	\circ					
Forgetful	0	\circ		0	Interrupts or intrudes on others	\circ	\circ		\circ				
Sum of items rated Often or Very Often			4	3	Sum of items rated Often or Very Often			5	3				